

**COMBO  
OFFER!**




# HF100r High Frequency X Ray Machine With wired DR Combo



**AERB APPROVED**






## Wired DR SYSTEM

### BRIEF DESCRIPTION

Pixel Pitch	140 $\mu$ m
Pixel Matrix	2500 x 3052
ADC	16-bit
Gain Stage	Multi-Gain
Scintillator	GOS/CSI
Water Proof	IPX0
Interface	Quick self-locking connector
Calibration	Software, Firmware
Radiation Hardness	$\geq 10000$ Gy






**Tubehead**

**Controller**



**Collimator**





## Laptop

### TECHNICAL SPECIFICATION

Processor Intel(R) Core (TM) i5-6300 CPU  
Installed RAM 8GB  
System Type 64-bit operating system Pen  
and Touch No Pen and touch





## Printer

### TECHNICAL SPECIFICATION

Ink Type Inkjet  
Colour Output Colour  
Connectivity USB  
Print Speed (Monochrome) 7 ppm (mono)  
Print Speed (Colour) 7 ppm (colour)





**TECHNICAL SPECIFICATION**

1. Table Dimension: "76 x26 x29.5"inch
2. Table Load:200kg
3. Table Surface:Polycarbonate







Front



Back




Bucky



This is Bucky

**TECHNICAL SPECIFICATION**

- 1. Power Supply : 230V
- 2. Bucky Space : 18 X 18
- 3. Bucky Stand Height : 77inch



Bucky Open

Power On Button





# Technical Specification



<b>1. Radiography</b>	<b>100 mA at 100 Kvp</b>
<b>2. Tube current</b>	<b>F(0-3 mA), 25 mA, 50 mA, 75 mA &amp; 100 mA</b>
<b>3. Tube voltage</b>	<b>45-100 kvp (15 Steps)</b>
<b>4. Timer</b>	<b>0.02-5 Seconds (24 Steps)</b>
<b>5. X-ray tube</b>	<b>Indian / Imported Stationery Anode</b>



X Ray India Private Limited

Contact Us: +91-141-2983862, +91-7073577706

Email: [info@xrayindia.net](mailto:info@xrayindia.net) Web: [www.xrayindia.net](http://www.xrayindia.net)



Website



**Ray India**