

# 100mA Mobile High Frequency X Ray Machine


## With Wired DR Combo

**COMBO  
OFFER!**



**AERB APPROVED**






## Wired DR SYSTEM

### BRIEF DESCRIPTION

Pixel Pitch	140 $\mu$ m
Pixel Matrix	2500 x 3052
ADC	16-bit
Gain Stage	Multi-Gain
Scintillator	GOS/CSI
Water Proof	IPX0
Interface	Quick self-locking connector
Calibration	Software, Firmware
Radiation Hardness	$\geq 10000$ Gy





Tubehead

Generator



Collimator



Controller





## Laptop

### TECHNICAL SPECIFICATION

Processor Intel(R) Core (TM) i5-6300 CPU  
Installed RAM 8GB  
System Type 64-bit operating system Pen and  
Touch No Pen and touch




## Printer

### TECHNICAL SPECIFICATION

Ink Type Inkjet  
Colour Output Colour  
Connectivity USB  
Print Speed (Monochrome) 7 ppm (mono)  
Print Speed (Colour) 7 ppm (colour)





Bucky





#### TECHNICAL SPECIFICATION

1. Table Dimension: "76 x26 x29.5"inch
2. Table Load:200kg
3. Table Surface:Polycarbonate









**TECHNICAL SPECIFICATION**


- 1. Power Supply : 230V
- 2. Bucky Space : 18 X 18
- 3. Bucky Stand Height : 77inch



# Technical Specification



1. Maximum Output Power	5kW
2. Inverter Frequency	40 kHz
3. Focal Spot	2.6 mm <sup>2</sup>
4. Monoblock's kV Range	40 kV to 110 kV
5. Maximum mA	100mA



Website

