


HF300 High Frequency X Ray Machine With Wireless DR Combo

X Ray India

**COMBO
OFFER!**







AERB APPROVED



Wireless DR SYSTEM

BRIEF DESCRIPTION

Pixel Pitch	140 μ m
Image Resolution	3,072 x 3,072
Image Size	17x17 inch (430x430mm)
Battery Full Operation Time	12 hours
Water & Dust Resistance	IP55
Drop Test	Up to 50 cm
Weight Bearing for whole surface	< 180 kg
Point Weight Bearing (4x4cm)	< 100 kg
Weight (Without / With battery)	3.3 kg / 4.1 kg (dual battery)



Convettore



Controller



Generator

Tubehead





Laptop

TECHNICAL SPECIFICATION

Processor Intel(R) Core (TM) i5-6300 CPU
Installed RAM 8GB
System Type 64-bit operating system Pen
and Touch No Pen and touch




Printer

TECHNICAL SPECIFICATION

Ink Type Inkjet
Colour Output Colour
Connectivity USB
Print Speed (Monochrome) 7 ppm
(mono) Print Speed (Colour) 7 ppm
(colour)





TECHNICAL SPECIFICATION

- 1. Table Dimension: "76 x29.5"inch
- 2. Table Load:200kg
- 3. Table Surface:Polycarbonate







Front



Back




Bucky



This is Bucky

TECHNICAL SPECIFICATION

- 1. Power Supply : 230V
- 2. Bucky Space : 18 X 18
- 3. Bucky Stand Height : 77inch



Bucky Open

Power On Button



Technical Specification



1. Maximum Output Power	20 kW
2. Inverter Frequency	40 kHz
3. Monoblock's kV Range	40 kV to 125 kV
4. Maximum mA	320 mA
5. mAs Range :	1 – 320

