

# Portable 30mA

Line Frequency

## PORTABLE X RAY MACHINE PRT 30



PRT 30 ma  
Line Frequency


AERB  
Approved



# TECHNICAL SPECIFICATION

TUBE CURRENT (max)	:	30 mA
TUBE VOLTAGE (max)	:	85 kVp
PEAK POWER	:	1.2 kW
TUBE VOLTAGE & TUBE CURRENT	:	50 kVp at 30 mA 68 kVp at 20 mA 85 kVp at 15 mA
COLLIMATOR		
TIMER	:	0.1-6 Seconds (60 Steps)
	:	Halogen Lamp
POWER SUPPLY	:	Single Phase 230 Volt ,5 Amps & 50 Hz
X RAY TUBE BODY	:	Sealed with having protection against radiation & electric shock
X RAY HOUSING	:	Compact
X RAY TUBE	:	XD2-1.4/85
FOCAL SPOT	:	1.5 mm
WEIGHT	:	14 kgs

## Tube Head




## 30 mA Portable Diagnostic X Ray Machine

Complies To Highest Radiation Safety standards laid down by Atomic Energy Regulatory Board (AERB).

Provides High End Image Quality and Resolution to meet best Diagnostic Radiology Investigations

Electronic Overload Protection Device



**AERB APPROVED**



**X Ray India Private Limited**

Contact Us: +91-141-2983862, +91-7073577706

Email: [info@xrayindia.net](mailto:info@xrayindia.net) Web: [www.xrayindia.net](http://www.xrayindia.net)



Website

